



# Material Safety Data Sheet



## Multi cleaner interior spray

### Section 1. Chemical product and company identification

**Manufacturer** : HG International b.v. **Code** : 1480500  
**Address** : Damsluisweg 70 1332 EJ Almere **MSDS#** : 1.0  
**Country** : Netherlands **Validation date** : 19-8-2008.  
**Telephone No.:** : +31 (0)36 54 94 700 **Print date** : 19-8-2008.  
**Fax** : +31 (0)36 54 94 744 **Responsible name** : P. Stienstra  
**Internet:** : www.hginternational.com **Telephone No.:** : +1.705.726.5445  
**Supplier** : Solstrand Trading **Fax** : +1.705.734.0857  
**Address** : 60 Lockhart road Barrie, Ontario L4N 9G8 **Country** : Canada

**Material uses** : Easily removes dirt, grease, fingerprints, rings etc., from all kinds of surfaces such as plastic, Formica, MDF, paint and all other water-tight surfaces.

 **In Case of Emergency** : **Chem. Tel Inc. (813) 248 0585 or Toll free (800) 255 3924**

### Section 2. Composition, Information on Ingredients

Name	CAS #	% by weight	Exposure limits
propan-2-ol	67-63-0	0 - 1	

### Section 3. Hazards identification

**Physical State and Appearance** : Liquid.

**Emergency overview** : No specific hazard.  
No specific hazard.  
Avoid exposure - obtain special instructions before use. Do not breathe vapor or mist.

**Routes of entry** : Dermal contact. Eye contact. Inhalation. Ingestion.

**Potential acute health effects**

**Eyes** : No known significant effects or critical hazards.  
**Skin** : No known significant effects or critical hazards.  
**Inhalation** : No known significant effects or critical hazards.  
**Ingestion** : No known significant effects or critical hazards.

**Potential chronic health effects** : **CARCINOGENIC EFFECTS**: Classified A4 (Not classifiable for humans or animals.) by ACGIH, 3 (Not classifiable for humans.) by IARC [propan-2-ol].  
**MUTAGENIC EFFECTS**: Not available.  
**TERATOGENIC EFFECTS**: Not available.

**Medical conditions aggravated by overexposure:** : Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

**Over-exposure signs/symptoms** : Not available.

[See toxicological Information \(section 11\)](#)

Continued on next page

## Section 4. First aid measures

- Eye Contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
- Skin Contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Inhalation** : Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Notes to Physician** : Not available.

## Section 5. Fire fighting measures

- Flammability of the product** : May be combustible at high temperature.
- Auto-ignition Temperature** : Lowest known value: 399°C (750.2°F) (propan-2-ol).
- Flash Points** : Closed cup: >100°C (212°F).
- Flammable limits** : Not available.
- Products of combustion** : Decomposition products may include the following materials: carbon oxides (CO, CO<sub>2</sub>).
- Fire hazards in presence of various substances** : Not available.
- Explosion hazards in presence of various substances** : Not available.
- Fire fighting media and instructions** : Use an extinguishing agent suitable for the surrounding fire.  
Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.  
In a fire or if heated, a pressure increase will occur and the container may burst.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
- Special remarks on fire hazards** : Not available.
- Special remarks on explosion hazards** : Not available.

## Section 6. Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

*Continued on next page*

**Methods for cleaning up** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

## Section 7. Handling and storage

**Handling** : Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

**Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure Controls, Personal Protection

**Engineering controls** : No special ventilation requirements.

### Personal protection

**Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

**Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Other protection** : Not available.

**Personal protective equipment (Pictograms)** :



**Personal protection in case of a large spill** : Splash goggles. Full suit. Vapor respirator. Boots. Gloves. Self-contained breathing apparatus (SCBA) should be used to avoid inhalation of the product. Suggested protective clothing might not be adequate. Consult a specialist before handling this product.

**Product Name**

propan-2-ol

### Exposure limits

**ACGIH (United States).**

TWA: 400 ppm

**ACGIH TLV (United States, 1/2004). Notes: ACGIH 2003 Adoption Refers to Appendix A -- Carcinogens.**

STEL: 400 ppm 15 minute(s). Form: All forms

TWA: 200 ppm 8 hour(s). Form: All forms

[Consult local authorities for acceptable exposure limits.](#)

## Section 9. Physical and chemical properties

<b>Physical State and Appearance</b>	: Liquid.
<b>Color</b>	: Clear Colorless.
<b>Odor</b>	: Perfumed
<b>pH</b>	: 8.5 (Conc. (% w/w): 100) [Basic.]
<b>Relative density</b>	: 0.997 g/cm <sup>3</sup> (20°C / 68°F)
<b>Viscosity</b>	: Not available.
<b>Solubility</b>	: Easily soluble in the following materials: cold water, hot water, methanol, diethyl ether, acetone.
<b>Flash point</b>	: Closed cup: >100°C (212°F).
<b>Explosive properties</b>	: Not available.
<b>Oxidizing properties</b>	: Not available.
<b>Physical chemical comments</b>	: Not available.

## Section 10. Stability and reactivity

<b>Stability and Reactivity</b>	: The product is stable.
<b>Conditions of instability</b>	: Stable under recommended storage and handling conditions (see section 7). Keep away from heat, sparks and flame.
<b>Incompatibility with various substances</b>	: Not available.
<b>Hazardous Decomposition Products</b>	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
<b>Hazardous polymerization</b>	: Will not occur.

## Section 11. Toxicological information

<b>Chronic effects on humans</b>	: : <b>CARCINOGENIC EFFECTS:</b> Classified A4 (Not classifiable for humans or animals.) by ACGIH, 3 (Not classifiable for humans.) by IARC [propan-2-ol]. Contains material which causes damage to the following organs: upper respiratory tract, skin, central nervous system (CNS), eye, lens or cornea.
<b>Other toxic effects on humans</b>	: Slightly hazardous by the following route of exposure: of skin contact (irritant), of eye contact (irritant), of inhalation (lung irritant).
<b>Special remarks on toxicity to animals</b>	: Not available.
<b>Special remarks on chronic effects on humans</b>	: Not available.
<b>Special remarks on other toxic effects on humans</b>	: Not available.
<b>Specific effects</b>	
<b>Carcinogenic effects</b>	: No known significant effects or critical hazards.
<b>Mutagenic effects</b>	: No known significant effects or critical hazards.
<b>Reproduction toxicity</b>	: No known significant effects or critical hazards.

## Section 12. Ecological information

propan-2-ol	Pimephales promelas (EC50)	48 hour(s)	10000 mg/l
	Lepomis macrochirus (LC50)	96 hour(s)	>1400 mg/l
	Pimephales promelas (LC50)	96 hour(s)	6550 mg/l
	Pimephales promelas (LC50)	96 hour(s)	9640 mg/l
	Pimephales promelas (LC50)	96 hour(s)	10400 mg/l
	Pimephales promelas (LC50)	96 hour(s)	11130 mg/l
<b>BOD and COD</b>	: Not available.		
<b>Biodegradable/OECD</b>	: Not available.		
<b>Mobility</b>	: Not available.		

Continued on next page

**Products of degradation** : Products of degradation: carbon oxides (CO, CO<sub>2</sub>) and water.

**Toxicity of the products of biodegradation** : Not available.

**Special remarks on the products of biodegradation** : Not available.

## Section 13. Disposal considerations

**Waste information** : The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**Waste stream** : Not available.

Consult your local or regional authorities.

## Section 14. Transport information

Regulatory Information	UN number	Proper shipping name	Class	Packing group	Label	Additional information
<b>DOT Classification</b>	Not regulated.	-	-	-		-
<b>TDG Classification</b>	Not regulated.	-	-	-		-
<b>ADR/RID Class</b>	Not regulated.	-	-	-		-
<b>IMDG Class</b>	Not regulated.	-	-	-		-
<b>IATA-DGR Class</b>	Not regulated.	-	-	-		-

## Section 15. Regulatory information

**WHMIS (Canada)** : Not controlled under WHMIS (Canada).  
**CEPA Toxic substances:** None of the components are listed.  
**Canadian ARET:** None of the components are listed.  
**Canadian NPRI:** None of the components are listed.  
**Alberta Designated Substances:** None of the components are listed.  
**Ontario Designated Substances:** None of the components are listed.  
**Quebec Designated Substances:** None of the components are listed.

### International regulations

**EINECS** : Not available.

**DSCL (EEC)** : This product is not classified according to the EU regulations.

**International lists** : **Australia inventory (AICS):** Not determined.  
**China inventory (IECSC):** Not determined.  
**Korea inventory (KECI):** Not determined.  
**Philippines inventory (PICCS):** Not determined.  
**Japan inventory (ENCS):** Not determined.


## Section 16. Other information

**Label Requirements** : No specific hazard.

**Hazardous Material  
Information System  
(U.S.A.)**

Health	*	1
Fire hazard		0
Reactivity		0
Personal protection		

**National Fire  
Protection  
Association  
(U.S.A.)**



**References** : Not available.

**Other special considerations** : Not available.

**Date of printing** : 19-8-2008.

**Date of issue** : 19-8-2008.

**Date of previous issue** : No previous validation.

**Version** : 1

**Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.