



Material Safety Data Sheet



Hardwood spray cleaner

Section 1. Chemical product and company identification

Manufacturer : HG International b.v. **Code** : 1820587
Address : Damsluisweg 70 1332 EJ Almere **MSDS#** : 1.05
Country : Netherlands **Validation date** : 5/19/2010.
Telephone No.: : +31 (0)36 54 94 700 **Print date** : 5/19/2010.
Fax : +31 (0)36 54 94 744 **Responsible name** : P. Stienstra
Internet: : www.hg.eu **Telephone No.:** : +1.705.726.5445
Supplier : Solstrand Trading **Fax** : +1.705.734.0857
Address : 60 Lockhart road Barrie, Ontario L4N 9G8 **Country** : Canada
Material uses : Not available.
In Case of Emergency : Chem. Tel Inc. (813) 248 0585 or Toll free (800) 255 3924

Section 2. Composition, Information on Ingredients

Name	CAS #	% by weight	Exposure limits
propan-2-ol	67-63-0	1 - 5	Not available.
alcohols, c11-14-iso-, c13-rich, ethoxylated	78330-21-9	0.1-0.5	Not available.
Perfume ingredient.		0.01-0.05	Not available.

Section 3. Hazards identification

Physical State and Appearance : Liquid.

Emergency overview : No specific hazard.
Not applicable
Do not breathe vapor or mist.

Routes of entry : Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

- Eyes** : No known significant effects or critical hazards.
- Skin** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Potential chronic health effects : **CARCINOGENIC EFFECTS**: Classified A4 (Not classifiable for humans or animals.) by ACGIH, 3 (Not classifiable for humans.) by IARC [propan-2-ol].
MUTAGENIC EFFECTS: Not available.
TERATOGENIC EFFECTS: Not available.

Medical conditions aggravated by overexposure: : Repeated or prolonged exposure is not known to aggravate any medical condition.

Over-exposure signs/symptoms : Not available.

[See toxicological Information \(section 11\)](#)

Continued on next page

Section 4. First aid measures

- Eye Contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
- Skin Contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Inhalation** : Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Notes to Physician** : Not available.

Section 5. Fire fighting measures

- Flammability of the product** : May be combustible at high temperature.
- Auto-ignition Temperature** : Lowest known value: 425°C (797°F) (propan-2-ol).
- Flash Points** : Closed cup: Higher than 93.3°C (200°F). (Pensky-Martens.)
- Flammable limits** : Greatest known range: Lower: 2% Upper: 13% (propan-2-ol)
- Products of combustion** : Decomposition products may include the following materials: carbon oxides (CO, CO₂).
- Fire hazards in presence of various substances** : Not considered to be flammable according to our database.
- Explosion hazards in presence of various substances** : Risk of explosion of large quantities of the product after mixing with acids due to chlorine gas build up. Risk of explosion of the product in the presence of static discharge: Not available.
- Fire fighting media and instructions** : Use an extinguishing agent suitable for the surrounding fire.
Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
In a fire or if heated, a pressure increase will occur and the container may burst.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
- Special remarks on fire hazards** : No additional remark.
- Special remarks on explosion hazards** : No additional remark.

Section 6. Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Continued on next page

Methods for cleaning up : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Section 7. Handling and storage

Handling : Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure Controls, Personal Protection

Engineering controls : Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Eyes : Recommended: safety glasses with side shields

Skin : Recommended: Work uniform or laboratory coat.

Respiratory : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands : >8 hours (breakthrough time): Butyl rubber gloves. or nitrile rubber

Other protection : Not available.

Personal protective equipment (Pictograms) :



Personal protection in case of a large spill : Splash goggles. Full suit. Boots. Gloves. Wear appropriate respirator when ventilation is inadequate.

Product Name

propan-2-ol
alcohols, c11-14-iso-, c13-rich, ethoxylated
Perfume ingredient.

Exposure limits

Not available.
Not available.
Not available.

[Consult local authorities for acceptable exposure limits.](#)

Section 9. Physical and chemical properties

Physical State and Appearance : Liquid.

Color : Green.

Odor : Perfumed

pH : 8.1 [Basic.]

Relative density : 0.983 g/cm³

Viscosity : Not available.

Solubility : Easily soluble in the following materials: cold water, hot water, diethyl ether, acetone.

Flash point : Closed cup: Higher than 93.3°C (200°F). (Pensky-Martens.)

Continued on next page

Flammability (solid, gas)	: Not applicable.
Explosive properties	: Risk of explosion of large quantities of the product after mixing with acids due to chlorine gas build up. Risk of explosion of the product in the presence of static discharge: Not available.
Explosion Limits	: Greatest known range: Lower: 2% Upper: 13% (propan-2-ol)
Oxidizing properties	: Not applicable
Physical chemical comments	: Not available.

Section 10. Stability and reactivity

Stability and Reactivity	: Stable under recommended storage and handling conditions (see section 7).
Conditions of instability	: Not applicable
Incompatibility with various substances	: Not considered to be reactive according to our database.
Hazardous Decomposition Products	: Not applicable
Hazardous polymerization	: Will not occur.

Section 11. Toxicological information

propan-2-ol	LD50	5045 mg/kg	Oral	Rat
	LD50	6410 mg/kg	Oral	Rabbit
	LD50	3600 mg/kg	Oral	Mouse
	LD50	12800 mg/kg	Dermal	Rabbit
	LD50	12800 mg/kg	Dermal	Rabbit
	LDLo	1537 mg/kg	Oral	Dog
	LDLo	3570 mg/kg	Oral	human
	LDLo	5272 mg/kg	Oral	man
alcohols, c11-14-iso-, c13-rich, ethoxylated	LD50	200 to 2000 mg/kg	Oral	Rat

Chronic effects on humans	: CARCINOGENIC EFFECTS: Classified A4 (Not classifiable for humans or animals.) by ACGIH, 3 (Not classifiable for humans.) by IARC [propan-2-ol].
Other toxic effects on humans	: Slightly hazardous by the following route of exposure: of skin contact (irritant), of eye contact (irritant), of inhalation (lung irritant).
Special remarks on toxicity to animals	: Very low toxicity for humans or animals. (alcohols, c11-14-iso-, c13-rich, ethoxylated)
Special remarks on chronic effects on humans	: No additional remark.
Special remarks on other toxic effects on humans	: No additional remark.
Specific effects	
Carcinogenic effects	: No known significant effects or critical hazards.
Mutagenic effects	: No known significant effects or critical hazards.
Reproduction toxicity	: No known significant effects or critical hazards.

Section 12. Ecological information

propan-2-ol	FATHEAD MINNOWS (EC50)	96 hour(s)	6550 mg/l
	Lepomis macrochirus (LC50)	96 hour(s)	>1400 mg/l
	Pimephales promelas (LC50)	96 hour(s)	6550 mg/l
	Pimephales promelas (LC50)	96 hour(s)	9640 mg/l
	Pimephales promelas (LC50)	96 hour(s)	10400 mg/l
	Pimephales promelas (LC50)	96 hour(s)	11130 mg/l
alcohols, c11-14-iso-, c13-rich, ethoxylated	Flora (EC50)	72 hour(s)	1 to 10 mg/l
	LEUCISCUS IDUS (LC50)	96 hour(s)	1 to 10 mg/l
	Aquatic invertebrates. (LC50)	48 hour(s)	1 to 10 mg/l

BOD and COD	: Not available.
Biodegradable/OECD	: Biodegradable
Mobility	: Not available.

Continued on next page

- Products of degradation** : Decomposition products may include the following materials: carbon oxides (CO, CO₂) and water.
- Toxicity of the products of biodegradation** : The product itself and its products of degradation are not toxic.
- Special remarks on the products of biodegradation** : No additional remark.

Section 13. Disposal considerations

- Waste information** : The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
- Waste stream** : Not available.

Consult your local or regional authorities.

Section 14. Transport information

Regulatory Information	UN number	Proper shipping name	Class	Packing group	Label	Additional information
DOT Classification	Not regulated.	-	-	Not available.		Not available.
TDG Classification	Not regulated.	-	-	Not available.		Not available.
ADR/RID Class	Not regulated.	-	-	Not available.		Not available.
IMDG Class	Not regulated.	-	-	Not available.		Not available.
IATA-DGR Class	Not regulated.	-	-	Not available.		Not available.

Section 15. Regulatory information

- WHMIS (Canada)** : Not controlled under WHMIS (Canada).
No products were found.
- International regulations**
 - EINECS** : Not available.
 - DSCL (EEC)** : This product is not classified according to EU legislation.
 - International lists** : Not available.


Section 16. Other information

Label Requirements : Not applicable

Hazardous Material Information System (U.S.A.)

Health	*	0
Fire hazard		1
Reactivity		0
Personal protection		C

National Fire Protection Association (U.S.A.)



- References** : Not available.
- Other special considerations** : Not available.

- Date of printing** : 5/19/2010.
- Date of issue** : 5/19/2010.
- Date of previous issue** : No previous validation.

Continued on next page

Version : 1.05

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.